
From: Printz, Jacalen M CIV USARMY CENWS (US) <Jacalen.M.Printz@usace.army.mil>
To: Potokar, Steven
Sent: 10/21/2020 6:26:33 PM
Subject: FW: Electron HPA Issued
Attachments: HPA 2018-6-256 v 5.pdf

-----Original Message-----

From: Bockstiegel, Elizabeth A (DFW) [mailto:Elizabeth.Bockstiegel@dfw.wa.gov]
Sent: Thursday, October 15, 2020 5:19 PM
To: Dave Risvold <dave.risvold@piercecountywa.gov>; Lentes, Gwendolen A (DFW)
<Gwendolen.Lentes@dfw.wa.gov>; Sean Gaffney <sean.gaffney@piercecountywa.gov>; Muck, Jim
<jim_muck@fws.gov>; Melissa Jundt - NOAA Federal <melissa.jundt@noaa.gov>; Printz, Jacalen
M CIV USARMY CENWS (US) <Jacalen.M.Printz@usace.army.mil>; Churchill, Jenae N CIV USARMY
CENWS (US) <Jenae.N.Churchill@usace.army.mil>; Livingood-Schott, Tara L (DFW)
<Tara.Livingood@dfw.wa.gov>; Serdar, Carol (ECY) <cser461@ECY.WA.GOV>
Subject: [Non-DoD Source] Electron HPA Issued

Hello,

WDFW issued the HPA for the remainder of the in-water work window, October 28th, 2020. The additional work elements include:

- * The placement of rock and the steel plate in the original diversion footprint,
- * Fish ladder monitoring and maintenance, and
- * Astroturf and crumb rubber removal.

The HPA is attached to this email.

Thanks,

Liz Bockstiegel

Habitat Biologist - Habitat Program - Region 6

Washington Department of Fish and Wildlife

Phone: 360-480-2908 | Elizabeth.Bockstiegel@dfw.wa.gov
<mailto:Elizabeth.Bockstiegel@dfw.wa.gov>

Pronouns: she/her